

# CALRAD

## 35 Series - Adapters



**35-500**  
1/4" Stereo jack to  
1/4" mono plug.



**35-506** All Nickel  
**35-506-P** Plastic  
1/4" jack to 3.5mm  
plug. Shielded.  
Nickel plated.



**35-517** Nickel  
**35-517G** Gold  
RCA-type jack to  
1/4" plug.



**35-549** Gold  
**35-549-NK** Nickel  
Solid body gold  
RCA-type jack to  
1/4" plug.



**35-517-RT**  
RCA-type jack to  
1/4" plug.  
Right angle.



**35-512**  
3.5 mm Stereo  
plug to RCA  
female jack.



**35-518** Plastic  
**35-518-M** All Nickel  
3.5 mm Stereo  
jack to 2.5 mm  
stereo plug  
adapter.



**35-582** Plastic  
**35-582-NK** All Nickel  
2.5mm stereo jack  
to a 3.5mm stereo  
plug.



**35-522**  
3.5 mm mono  
plug to 1/4"  
stereo jack,  
shielded.  
Metal housing.



**35-536** All Nickel  
**35-536-P** Plastic  
3.5mm mono jack  
to a mono 1/4"  
plug.



**35-537**  
1/4" mono jack to  
RCA-type plug.  
Nickel plated,  
shielded.



**35-538** All Nickel  
**35-538-P** Plastic  
RCA-type pin jack  
to miniature 3.5 mm  
mono plug. Nickel  
plated, shielded.



**35-542**  
Stereo  
1/4" plug to  
mono 3.5 mm  
jack. Shielded.



**35-543**  
Stereo 1/4" jack  
to 3.5 mm mono  
plug. Shielded.



**35-563**  
1/4" mono jack to  
3.5 mm stereo  
plug.



**35-564**  
3.5 mm stereo  
jack to 1/4" mono  
plug.



**35-565**  
3.5 mm mono  
jack to  
3.5 mm stereo  
plug.



**35-539** All Nickel  
**35-539-P** Plastic  
3.5 mm mono  
jack to RCA-type  
pin plug.  
Shielded. Nickel  
plated.



**35-540**  
3.5 mm jack to  
2.5 mm plug.  
Shielded. Nickel  
plated.



**35-541**  
2.5 mm jack to  
3.5 mm plug.  
Shielded. Nickel  
plated.



**35-550**  
Plastic/Nickel  
**35-550G** Plastic/Gold  
**35-550-NK** All Nickel  
Stereo 1/4" plug  
to 3.5 mm stereo  
mini jack.



**35-551**  
Plastic/Nickel  
**35-551G** Plastic/Gold  
**35-551-NK** All Nickel  
Stereo mini 3.5  
mm plug to  
stereo 1/4" jack.



**35-552**  
3.5 mm mono  
plug to 3.5 mm  
stereo mini jack.



**35-484**  
Right angle  
stereo 3.5 mm  
jack to 3.5 mm  
stereo plug.

# CALRAD

## 35 Series - Adapters, Couplers, Bulkhead Connectors



**35-566**  
Right angle stereo 1/4" plug to stereo 3.5 mm jack.



**35-583**  
2.5 mm mono plug to RCA jack.



**35-445** Mono  
**35-446** Stereo  
1/4" male to male mono or stereo pin plug adapter.



**35-548**  
RCA-type pin plug adapter. Male to male RCA plugs. Gold.



**35-546G**  
gold, all metal  
**35-546-NK**  
nickel, all metal  
**35-545**  
Female to Female RCA coupler. Nickel, plastic barrel



**35-569**  
Dual female RCA barrel jack. Gold plated.



**35-502G**  
Triple A/V coupler. With White, Red and Yellow gold plated RCA jacks.



**35-580** Mono  
**35-580A** Stereo  
Shielded 1/4" barrel connector, female to female, in either mono or stereo.



**35-547**  
Shielded barrel connector, RCA female to 1/4" mono female. Nickel plated.



**35-581**  
Shielded barrel connector, 3.5 mm stereo jack to 3.5 mm stereo jack.



**35-544**  
3.5 mm to 3.5 mm mono barrel connector. Shielded.



**35-496-4** 4 pin  
**35-496-6** 6 pin  
**35-496-8** 8 pin  
Female to female mini-din coupler. 4, 6, or 8 pin versions available.



**35-495**  
Midi coupler. 5 pin DIN coupler female-female.



**35-498** 4 pin  
**35-498-6** 6 pin  
**35-498-8** 8 pin  
**35-498BC** Black Chrome Bulkhead SVHS connector with 2 nut mounting. Panel mount 4 pin SVHS female to female. Mounts in 1/2" double "D" hole.



**35-498BH** 4 pin  
**35-498BH-6** 6 pin  
**35-498BH-8** 8 pin  
Bulkhead mini-din connector w/ 2 nut mounting. Panel mount 4 pin SVHS female-female. Mounts in 1/2" double "D" hole  
**35-498G-BH**  
Gold 4 Pin Version



**Video Converter**  
Economy SVHS Video Converter  
**35-499-P**  
Male SVHS to Female RCA  
**35-499-SF-P**  
Female SVHS to Female RCA  
**35-499-S-P**  
Female SVHS to Male RCA  
**35-499-BNC-P**  
Male SVHS to Female BNC



**Video Converter**  
**35-499-S**  
SVHS female to composite RCA male cable adapter. Converts SVHS signals to composite video. Bi-directional. 6" long. molded connectors and gold plated contacts.



**Video Converter**  
**35-499**  
SVHS male to RCA female adapter. Converts SVHS signals to composite video. Bi-directional. Gold plated connectors and black chrome body.



**Video Converter**  
**35-499-SF**  
SVHS female to RCA female adapter. Converts SVHS signals to composite video. Bi-directional. .47" long. Converts SVHS signals to composite video. Bi-directional. Gold plated connectors and black chrome body.



**Video Converter**  
**35-499-BNC**  
SVHS male to BNC female adapter. Converts SVHS signals to composite video. Bi-directional. Gold plated connectors and black chrome body.  
**35-499F-BNC**  
SVHS female to BNC female adapter.



**Cable Tie Holes**  
**35-498K-S**  
Solderless Keystone or chassis mount SVHS jack with screw terminal connectors. Mounts in 1/2" hole or standard keystone insert. Comes with cable tie for strain relief. Colored ID washers available (30-288-COLOR). Also available in BNC (75-686K-S) and RCA (30-308K-S) versions.



**35-497**  
SVHS "Y" adapter. non-directional pin-to-pin wiring of luminance and chrominance signals. See page 90 for SVHS signal separator cables.




**35-497A** (18 in.)  
**35-497A-6** (6 ft.)  
SVHS "Y" adapter. Molded and shielded "Y" cable with 1-male to 2-females, pin to pin wiring. Overall length 12". For SVHS signal



**35-600**  
HD-DB15 "Y" shielded low loss cable. Male HD-DB15 SVGA connector to 2 female HD-DB15 SVGA connectors. Used to drive 2 monitors from a single graphics card.

## 35 Series - DVI & HDMI, Audio Adapters

New Item



**35-601**  
DVI-I to DVI-D & VGA Splitter  
Separates DVI-I male to DVI-D female and VGA female. For use with DVI-I ports that share analog + digital signals.



**35-700**  
DVI-I Male to VGA DB-15 Female Adapter  
Allows you to connect VGA display to a DVI-I graphics card. NOTE, this adapter does NOT provide a digital to analog signal conversion. It will not work with DVI-D.



**35-701**  
DVI-A Male to VGA DB-15 Female Adapter.  
This adapter allows you to connect a DVI-A display to a VGA graphics card.



**35-702**  
DVI-D Female to DFP 20 Pin Male Adapter.  
**35-703**  
DVI-D Male to DFP 20 Pin Female Adapter.



**35-710**  
DVI-I to DVI-I Female to Female Inline Coupler.  
Shielded di-cast case handles 5 pin analog and 24 pin digital signals. gold plated contact pins. Used for inline or chassis mount. Fits in standard DB15 d-sub cutout. Overall length .93" For wall mounting use Calrad p/n 30-598



**35-713**  
HDMI Female to Female inline Coupler with Gold contacts.



**35-711**  
HDMI Female to DVI-D Male Adapter with Gold plated contacts.



**35-712**  
HDMI Male to DVI-D Female Adapter with Gold plated contacts.



**35-715**  
HDMI FeMale to DVI-D Male Cable Adapter with Gold plated contacts. 6" Length



**35-504** Nickel  
**35-504G** Gold  
Shielded "Y", RCA plug to two RCA jacks in parallel.



**35-505** Nickel  
**35-505G** Gold  
Shielded "Y", one RCA female jack to two RCA female jacks.



**35-516G**  
Shielded "Y", 1/4" stereo plug to right and left dual RCA jacks. Gold.  
**35-503** Nickel  
**35-503G** Gold  
Shielded "Y", 1/4" mono plug to dual RCA jacks in parallel.



**35-586G**  
Shielded "Y", 3.5 mm stereo plug to left and right dual RCA jacks. Gold.



**35-588G**  
Shielded "Y", 3.5 mm stereo plug to dual 1/4" stereo jacks, gold.



**35-553G**  
Shielded "Y", two 3.5 mm stereo jacks to single 3.5 mm stereo plug, gold.



**35-554G**  
Shielded "Y", 1/4" stereo plug to two 3.5 mm stereo jacks, gold.



**35-575**  
Shielded "Y" adapter, 1/4" stereo plug to dual 1/4" stereo jacks. Gold.



**35-479**  
Mono 1/4" male to mono 1/4" female, right angle.



**35-567**  
3.5 mm stereo plug to 1/4" stereo right angle jack. Gold.



**35-568**  
Right angle 1/4" stereo plug to 1/4" stereo jack. Nickel plated.



**35-480**  
Right angle RCA male to female adapter, heavy duty gold plating with teflon insulator.



**35-481**  
Long version of 35-480  
Right angle RCA male to female adapter, heavy duty gold plating with teflon insulator.



**35-488**  
3.5 mm mono plug to right angle RCA jack, teflon insulator. Gold plated.



**35-487**  
1/4" mono plug to right angle RCA jack, teflon insulator. Gold plated.

**35-511G Plastic**  
RCA plug to RCA jack right angle, plastic body with gold plated contacts.

**35-589 Plastic**  
Right angle RCA jack to a 3.5mm stereo plug. Plastic body and nickel plated connectors.

# CALRAD

## 35 Series - Analog & Digital Audio Adapters



**35-485**  
"T" adapter, RCA jack to two RCA plugs, heavy gold plating with teflon insulator.



**35-486**  
"T" adapter, RCA jack to two RCA jacks, heavy gold plating with teflon insulator.



**35-482**  
Right angle RCA plug to two RCA jacks, heavy gold plating with teflon insulator.



**35-483**  
Right angle RCA plug to two RCA jacks, heavy gold plating with teflon insulator.



**35-440**  
Fiber-optic 3.5mm male to toslink female bi-directional signal path.



**35-441**  
Fiber-optic toslink coupler. Female to female. Overall length .72".



**35-442**  
Toslink fiber-optic splitter. Non directional. Connects 3 toslink cables together.



**35-443**  
Fiber-optic toslink male to 3.5mm female. Bi-directional signal path.



**35-444**  
Right Angle Toslink Connector 2 piece construction enables the 360° rotation of cable. Female in to male out.



**35-439**  
Passive 3-way toslink optical switch. Passive selection knob with a spring loaded lock mechanism and selection indicator. Bi-directional switching. Size: 5.5" W x 1.3" H x 4.5" D.



**35-555**  
Two 3.5 mm stereo jacks to single 3.5 mm stereo plug, shielded.



**35-562**  
3.5 mm stereo plug to dual RCA-type plugs, shielded.



**35-559**  
3.5 mm stereo plug to two 3.5 mm mono jacks, shielded. 10" long.



**35-556**  
Two stereo 1/4" jacks to 3.5 mm stereo plug, shielded. 11" long.



**35-557**  
3.5 mm stereo plug to two RCA jacks, shielded.



**35-560**  
3.5 mm stereo plug to two 3.5 mm mono plugs, shielded. 10" long.



**35-476**  
"Y" cable. 3.5mm stereo plug to dual 1/4" mono plugs, shielded. 10" long.



**35-528**  
Two RCA jacks to one 3.5mm mono plug, shielded. 10" long.



**35-531**  
Two 3.5mm mono jacks to one 3.5mm mono plug. Shielded cable. 10 1/2" long.



**35-572**  
Two 3.5 mm mono plugs to one 3.5 mm mono jack, shielded. 10" long.



**35-535**  
RCA male to two 3.5 mm female mono jacks, shielded. 7 1/2" long.



**35-478**  
One 3.5 mm mono jack to two RCA jacks, shielded. 10" long.



**35-578**  
One RCA jack to dual RCA-type jacks, shielded. 10" long.



**35-558**  
3.5 mm stereo jack to two RCA-type plugs, shielded. 6' version.

# CALRAD

## 35 Series - Audio Adapters



**35-501A**  
"Y" adapter for dual stereo listening. 1/4" stereo plug to two 1/4" stereo jacks. 3 ft. long. Shielded.



**35-576**  
1/4" mono plug to two RCA male plugs, shielded. 10" long.




**35-577**  
1/4" male mono to two RCA females, shielded.



**35-561**  
1/4" stereo plug to two 1/4" mono plugs, shielded. 6 ft. long, black.



**35-590**  
3.5mm stereo plug to two 1/4" mono jacks, shielded. 11 1/2" long.



**35-591**  
One 1/4" stereo plug to two 3.5mm stereo jacks, shielded. 10" long.



**35-592**  
One 1/4" mono jack to two RCA jacks, shielded. 10" long.



**35-593**  
One 1/4" mono jack to two RCA plugs, shielded. 10" long.



**35-594**  
3.5mm stereo jack to two 1/4" mono plugs, shielded. 8" long.



**35-477**  
"Y" cable. 1/4" stereo plug to dual 1/4" mono jacks, shielded. 6 ft. long.



**35-579**  
Two mono 1/4" plugs to 1/4" stereo jack, shielded. 10" long.



**35-570**  
1/4" mono plug to two 1/4" mono jacks, shielded. 12" long.

**55-997**  
12" stereo version.




**35-571**  
Two 1/4" mono plugs to one 1/4" mono jack, shielded. 11" long.



**35-475**  
Two 3.5 mm stereo plugs to one 3.5 mm stereo jack, shielded. 10" long.



**35-573**  
3.5 mm mono jack to two RCA plugs, shielded. 10" long.



**35-526**  
RCA plug to one RCA plug and one RCA jack, shielded. 10" long.




**35-527**  
RCA plug to two RCA plugs 10" long shielded.  
**35-527G-6**  
6 ft. version, Gold plated



**35-529**  
3.5mm mono plug to two RCA male plugs, shielded. 12" long.



**35-525**  
RCA plug to two RCA-type pin jacks, shielded.



**35-525-MZ**  
Buffered "Y" Cable  
RCA male to dual RCA females. Multi-Zone "Y" adapter. Some A/V receivers will short the source signals when the unit is powered off. This adapter prevents this from occurring by using passive circuitry to prevent distortion and signal loss. 8mm OFC cable w/ high quality gold plated connectors 6" in length.



**35-525-HG**  
Shielded 8mm High Grade OFC "Y" cables with high quality gold plated connectors. RCA male to dual RCA females. 6" long.

**35-525-HGM**  
Same as HG Version only with Molded Connectors




**35-530-HG**  
Shielded 8mm High Grade OFC "Y" cables with high quality gold plated connectors. RCA female to dual RCA males. 6" long.

**35-530-HGM**  
Same as HG Version only with Molded Connectors



**35-530**  
Two RCA plugs to one RCA jack, shielded.



**35-532**  
Stereo 1/4" plug to two RCA plugs, shielded. 10" long.

**55-902**  
5 ft. version.

# CALRAD

## 35 Series - Audio Adapters

35-450 thru 35-463 XLR adapters on this page are wired: Pin 1 & 3 = Ground / Pin 2 = Hot



**35-610**

2.5mm Stereo "Y" cable. For cellular telephone interfacing to mic and headphone audio, TRS. 2.5mm Stereo male to dual 2.5mm stereo females.



**35-533**

Stereo 1/4" plug to two 3.5mm mono plugs, shielded. 11" long.



**35-534**

Stereo 1/4" plug to two RCA jacks, shielded. 10" long.



**35-523**

3.5 mm stereo plug to 1/4" stereo female jack, shielded. 12" long.



**35-524**

3.5 mm mono plug to 1/4" stereo jack, shielded. 16" long.



**35-452**

3 Pin XLR female jack to 1/4" mono plug.



**35-453**

3 Pin XLR male plug to 1/4" mono plug.



**35-454**

3 Pin XLR female jack to RCA type plug.



**35-455**

3 Pin XLR male plug to RCA plug.



**35-456**

3 Pin XLR female jack to 1/4" stereo plug.



**35-457**

3 Pin XLR male plug to 1/4" stereo plug.



**35-458**

3 Pin XLR female jack to BNC jack.



**35-459**

3 Pin XLR male plug to BNC jack.



**35-460**

3 Pin XLR female jack to RCA jack.



**35-461**

3 Pin XLR male plug to female RCA jack.



**35-462**

3 Pin XLR female jack to 1/4" stereo jack.

**35-450**

3 Pin XLR female jack to 1/4" mono jack.



**35-463**

3 Pin XLR male plug to 1/4" stereo jack.

**35-451**

3 Pin XLR male plug to 1/4" mono jack.



**30-525**

XLR 3 pin female to female coupler.

**30-524**

XLR 3 pin male to male coupler.



**35-464**

3 Pin XLR female jack to 3 Pin XLR male plug. Crossing wire for pin 2 and 3.



**35-465**

Inline XLR ON/OFF microphone switch. 3 Pin XLR male plug to XLR female jack.



**35-466**

3.5mm stereo female jack to XLR female. Wired: pin 1 = ground, pin 2 = tip & ring. 8" long with Black PVC jacket.



**35-467**

3.5mm stereo female jack to XLR female plug. Wired: pin 1 = ground pin 2 = tip pin 3 = ring. 8" long with Black PVC jacket.



**35-468**

3.5mm stereo female jack to XLR male. Wired: pins 1&3 = ground pin 2 = tip 8" long with Black PVC jacket.



**35-469**

3.5mm stereo female jack to XLR male plug. Wired: pin 1 = ground pin 2 = tip pin 3 = ring. 8" long. Black PVC jacket.